

Version: 4.0

Revision date: 01/01/2025 Product Name: ISOAMYL ACETATE NATURAL

# Section 1: Identification of the Substance/Mixture and of the Company

#### **Product identifier**

Product Name ISOAMYL ACETATE NATURAL

Product Number 771-3023

### Relevant identified use of the substance/mixture and uses advised against

Use of Substance/Mixture Carrier solvents, flavoring agents.

### Details of supplier of the SDS

Company O'Laughlin Corporation Limited

Address Suite 903, The Chinese Bank Building, 61-65 Des Voeux Road, Central, Hong Kong

Telephone (852) 2527 1031
Fax (852) 2529 0231
Website www.olaughlinco.com

### **Emergency telephone number**

(852) 2527 1031

#### **Section 2: Hazards Identification**

#### Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Flammable liquids, Category 3, H226

Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335

Acute aquatic toxicity, Category 3, H402

### Labelling elements

### Labelling according to Regulation (EC) No 1272/2008





# **Pictogram**

#### Signal word Warning

#### **Hazard Statement**

H226 - Flammable liquid and vapour.

H335 - May cause respiratory irritation.

H402 - Harmful to aquatic life.

### **Precautionary statement**

#### Prevention

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.



Version: 4.0

Revision date: 01/01/2025 Product Name: ISOAMYL ACETATE NATURAL

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P304+P340 - IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P312- Call a POISON CENTER or doctor/physician if you feel unwell.

P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

#### Storage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

#### **Disposal**

P501 - Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.

Hazards Not Otherwise Classified No information available

**Supplemental Hazard Information** 20% of the mixture consists of component(s) of unknown acute hazards to

the aquatic environment.

# Section 3: Composition/information on ingredients

Substance Name	3-METHYL-1-BUTANOACETATE
CAS Number	123-92-2
EC Number	204-662-3
% (w/w)	100

Remarks: The rest unspecified ingredients are impurities, and they are not hazard.

#### **Section 4: First Aid Measures**

### **Description of first aid measures**

**Skin contact** Wash off with soap and plenty of water. Consult a physician.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.Inhalation If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **General information**

Consult a physician. Show this safety data sheet to the doctor in attendance.

Indication of any immediate medical and special treatment needed: No information available.

# **Section 5: Fire-fighting Measures**

### Flammable properties

Flash point 25°C



Version: 4.0

Revision date: 01/01/2025 Product Name: ISOAMYL ACETATE NATURAL

**Firefighting** 

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguish media Do not use a solid water stream as it may scatter and spread fire.

Protective equipment and precautions for firefighters

Specific hazards during firefighting Carbon oxides.

Specific protective equipment for firefighters Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will

only provide limited protection. Wear self-contained breathing apparatus with a full-face piece operated in the positive pressure

demand mode when fighting fires.

Specific methods Use water spray to cool unopened containers

General fire hazards Static charges generated by emptying package in or near flammable

vapor may cause flash fire.

Section 6: Accidental Release Measures

**Personal precautions**Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure

adequate ventilation. Evacuate personnel to safe areas. For personal protection see

section 8.

**Environmental precautions** Do not let product enter drains.

Methods for cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal.

Section 7: Handling and Storage

**Storage** Store in cool, dry place in tightly sealed containers, protected from heat and light.

Handling Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Normal measures for

preventive fire protection. Keep away from open flames, hot surfaces and sources of ignition.

**Specific end use(s)** No information available.

Section 8: Exposure Controls/Personal Protection

Control parameters: Components with workplace control parameters.

**Exposure controls** 

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Personal protective equipment

**Eye/face protection** Safety glasses with side-shields conforming to EN166 Use equipment for eye

protection tested and approved under appropriate government standards such as

NIOSH (US) or EN 166(EU).

**Hand protection** Type of gloves recommended: Butyl rubber. Minimum breakthrough time/ gloves: 480

min. Minimum thickness/ gloves 0.11 mm.



Version: 4.0

Revision date: 01/01/2025 Product Name: ISOAMYL ACETATE NATURAL

**Body protection** Impervious clothing, the type of protective equipment must be selected according to

the concentration and amount of the dangerous substance at the specific workplace.

Safety Data Sheet

**Respiratory protection** Where risk assessment shows air-purifying respirators are appropriate use a full-face

respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US)

or CEN (EU).

**Thermal hazards** Wear suitable protective clothing to prevent heat.

Environmental exposure controls 
Avoid discharge into the environment. According to local regulations, Federal and

official regulations.

**Industrial hygiene:** When using do not smoke. Keep away from food and drink. Always observe good

personal hygiene measures, such as washing after handling the material and before eating, drinking, and/ or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## **Section 9: Physical and Chemical Properties**

AppearanceColorless liquidOdorPear or banana fruity

Flash point 25 °C

Specific Gravity0.8680 - 0.8780 at 25 °CRefractive Index1.4000 - 1.4040 at 20 °CAcid Value1.00 mg KOH/g max.Auto ignition temperatureNo information available.ViscosityNo information available.

### Section 10: Stability and Reactivity

**Reactivity** Stable under cool temperatures and pressures.

Chemical stability Stable at cool temperature in closed containers under normal storage and

handling conditions.

**Possibility of hazardous reactions** No hazardous reactions known.

**Conditions to avoid** Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures

exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents, strong bases, mineral acids.

Hazardous decomposition products No information available.

# **Section 11: Toxicological Information**

Information on likely routes of exposure:

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.



Version: 4.0

Revision date: 01/01/2025 Product Name: ISOAMYL ACETATE NATURAL

Information on toxicological effects:

Oral/Parenteral Toxicity Acute, LD50 Rat, > 5000 mg/kg

Dermal Toxicity Acute, LD50 Rabbit, > 5000 mg/kg

**Germ cell mutagenicity** No information available.

Carcinogenicity

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by NTP.

Reproductive toxicityNo information available.TOST - single exposureNo information available.TOST - repeated exposureNo information available.Aspiration hazardNo information available.

### **Section 12: Ecological Information**

**Eco toxicity** 

**Acute toxicity to fish:** LC100 = 148 mg/l, 48 hours (Golden orfe)

LC50 = 22 - 46 mg/l, 96 hours (Danio rerio)

Acute toxicity to daphnia: EC50 = 42 mg/l/48h (Daphnia magna) (EPA);

**Acute toxicity to algae:** EC50 = 450 mg/l, 72 hours

EC50 = 539 mg/l, 72 hours (Green algae)

Acute toxicity to bacteria: EC10 = 674 mg/l, 30 mins

Persistence and degradability Biodegradability Result: Readily biodegradable.

Test method: Directive 92/69/EEC, C.4-D (aerobic), activated sludge, domestic

Method of analysis: BOD of the ThOD Degree of elimination: 80-90% (28d)

Evaluation: Readily biodegradable (according to OECD criteria)

**Bio accumulative potential:** No bioaccumulation is to be expected (log Pow <= 4).

Mobility in soil:No information available.Results of PBT&vPvB assessment:No information available.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical

ozone creationpotential, endocrine disruption, global warming potential) are

expected from this component.

### **Section 13: Disposal Considerations**

**Disposal instructions** Do not discharge into drains, water course or onto the ground. Do not allow

this material to drain into sewers/ water supplies. Do not contaminate ponds,

waterways or ditches with chemical or used container. Dispose of contents/



Version: 4.0

Revision date: 01/01/2025 Product Name: ISOAMYL ACETATE NATURAL

container in accordance with local/ regional/ national/ international

regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous water code**No information available.

its container must be disposed of in a safe manner.

Contaminated packaging Empty containers should be taken to an approved waste handling site for

recycling or disposal. Since emptied containers may retain product residue,

**Safety Data Sheet** 

follow label warnings even after container is emptied.

# **Section 14: Transport Information**

	ADN	ADR	RID	DOT BULK	DOT NON-BULK	IATA	IMDG
UN Number	1104						
Shipping Name	AMYL ACETATES						
Hazard Class	3						
Packing group	III						
<b>Environmental Hazards</b>	No						

# **Section 15: Regulatory Information**

**US federal regulations**: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazards Substance List (40 CFR 302.4)	Not listed
OSHA Specifically Regulated Substance (29 CFR 1910.1001-1050)	Not listed
SARA 302 Extremely hazardous substances	Not listed
SARA 311/312 Hazard Chemical	Not listed
SARA 313 (TRI reporting)	Not regulated

# Other federal regulations

CAA Section 112 Hazardous Air Pollutant List

CAA Section 112 (r) Accidental Release Prevention (40 CFR 68.130)

Safe Drinking Water Act (SDWA)

Not regulated

Not regulated

#### **US State regulations**

US. Massachusetts RTK-Substance List

US. New Jersey Worker and Community Right-to-Know Act

US. Pennsylvania Worker and Community Right-to-Know Law

US. Rhode Island RTK

US. California Proposition 65

Not listed

Not listed

### **International Inventories**

Country or region Inventory name On inventory (yes/no)



Version: 4.0

Revision date: 01/01/2025 Product Name: ISOAMYL ACETATE NATURAL

**Safety Data Sheet** 

Australia	AICS	Yes
Canada	DSL	Yes
Canada	NDSL	No
China	IECSC	Yes
Europe	EINECS	Yes
Europe	ELINCS	No
Japan	ENCS	Yes
Korea	ECL	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	PICCS	Yes
US and Puerto Rico	TSCA	Yes

#### **Section 16: Other Information**

### **Revision Information**

Date of this version: Jan.1, 2025

#### **Declaration to Reader**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. O'Laughlin Corporation Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.