

Version: 5.0

Revision date: 01/01/2025 Product Name: NATURAL ETHYL ISOBUTYRATE

# Section 1: Identification of the Substance/Mixture and of the Company

#### **Product identifier**

Product Name NATURAL ETHYL ISOBUTYRATE

Product Number 771-3042

### Relevant identified use of the substance/mixture and uses advised against

Use of Substance/Mixture Flavor agent.

### Details of supplier of the SDS

Company O'Laughlin Corporation Limited

Address Suite 903, The Chinese Bank Building, 61-65 Des Voeux Road, Central, Hong Kong

Telephone (852) 2527 1031
Fax (852) 2529 0231
Website www.olaughlinco.com

### **Emergency telephone number**

(852) 2527 1031

#### **Section 2: Hazards Identification**

#### Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Flammable liquids, Category1, H225

Skin corrosion/irritation, Category2, H315

Serious eye damage/ eye irritation, Category2A, H319

### Labelling elements

## Labelling according to Regulation (EC) No 1272/2008





#### **Pictogram**

#### Signal word Danger

#### **Hazard Statement**

H225 - Highly flammable liquid and vapour.

H315 - Causes skin irritation.

H319 - Causes serious eye damage.

## **Precautionary statement**

## Prevention

P210 - Keep away from heat/ sparks/ open flames/ hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/ bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.



Version: 5.0

Revision date: 01/01/2025 Product Name: NATURAL ETHYL ISOBUTYRATE

P264 - Wash skin thoroughly after handling.

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### **Storage**

P403+P235 - Store in a well-ventilated place. Keep cool.

#### Disposal

P501 - Dispose of contents/container in accordance with local/ regional/ national/ international regulations.

Hazards Not Otherwise Classified No information available.

Supplemental Hazard Information No information available

## Section 3: Composition/information on ingredients

Substance Name	NATURAL ETHYL ISOBUTYRATE
CAS Number	97-62-1
EC Number	202-595-4
% (w/w)	100

Remarks: The rest unspecified ingredients are impurities, and they are not hazard.

#### **Section 4: First Aid Measures**

#### **Description of first aid measures**

**Skin contact** Wash off with soap and plenty of water. Consult a physician.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.Inhalation If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## **General information**

Consult a physician. Show this safety data sheet to the doctor in attendance.

Indication of any immediate medical and special treatment needed: No information available.

## **Section 5: Fire-fighting Measures**

## Flammable properties

Flash point 13°C

**Firefighting** 



Version: 5.0 Safety Data Sheet

Revision date: 01/01/2025 Product Name: NATURAL ETHYL ISOBUTYRATE

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguish media Do not use a solid water stream as it may scatter and spread fire.

Protective equipment and precautions for firefighters

Specific hazards during firefighting Carbon oxides. Fire may produce imitating, corrosive and/or toxic gases.

Specific protective equipment for firefighters Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing

apparatus with a full-face piece operated in the positive pressure

demand mode when fighting fires.

Specific methods Use water spray to cool unopened containers

General fire hazards Static charges generated by emptying package in or near flammable

vapor may cause flash fire.

**Section 6: Accidental Release Measures** 

Personal precautions Avoid inhalation and contact with skin and eyes. A self- container breathing apparatus is

recommended in case of a major spill.

**Environmental precautions** Keep away from drains, surface and groundwater and soil.

**Methods for cleaning up** Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth,

commercial sorbents, or recover using pumps.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Do not allow material to contaminate ground water system. Absorb in

vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface

thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be

disposed of as hazardous waste.

Section 7: Handling and Storage

Storage Do not handle or store near an open flame, heat or other sources of ignition. Keep container

tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

resealed and kept upright to prevent leakage.

**Handling** Avoid formation of aerosol. Smoking, eating and drinking should be prohibited in the application

area. Take precautionary measures against static discharges. Provide sufficient air exchange

and/or exhaust in work rooms. Open drum carefully as content may be under pressure.

**Specific end use(s)** No information available.

**Section 8: Exposure Controls/Personal Protection** 



Version: 5.0

Revision date: 01/01/2025 Product Name: NATURAL ETHYL ISOBUTYRATE

**Control parameters:** Components with workplace control parameters.

**Exposure controls** 

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Personal protective equipment

**Eye/face protection** Safety glasses with side-shields conforming to EN166 Use equipment for eye

protection tested and approved under appropriate government standards such as

NIOSH (US) or EN 166(EU).

**Hand protection** Type of gloves recommended: Butyl rubber. Minimum breakthrough time/ gloves: 480

min. Minimum thickness/ gloves 0.11 mm.

**Body protection** Impervious clothing, the type of protective equipment must be selected according to

the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection** Where risk assessment shows air-purifying respirators are appropriate use a full-face

respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US)

or CEN (EU).

**Thermal hazards** Wear suitable protective clothing to prevent heat.

Environmental exposure controls 
Avoid discharge into the environment. According to local regulations, Federal and

official regulations.

Industrial hygiene: When using do not smoke. Keep away from food and drink. Always observe good

personal hygiene measures, such as washing after handling the material and before eating, drinking, and/ or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## **Section 9: Physical and Chemical Properties**

Appearance Colorless liquid

Odor Sweet, etherial and fruity with pungent, alcoholic, fusel and rummy nuances

Flash point 13 °C

Specific Gravity0.862 - 0.868 at 25 °CAcid Value0.5mg KOH/g max.Refractive Index1.385 - 1.391 at 20 °C

**Solubility (ies)** Slightly soluble in water, soluble in alcohol ether, etc.

Auto ignition temperatureNo information available.ViscosityNo information available.

### **Section 10: Stability and Reactivity**

**Reactivity** Stable under normal temperatures and pressures.

Chemical stability Stable at room temperature in closed containers under normal storage and

handling conditions.

**Possibility of hazardous reactions** Incompatible materials, heat, sparks, flames.



Version: 5.0

Revision date: 01/01/2025 Product Name: NATURAL ETHYL ISOBUTYRATE

**Conditions to avoid** Strong oxidizing agents, strong bases, mineral acids.

Incompatible materialsStrong oxidizing agents.Hazardous decomposition productsNo information available.

# **Section 11: Toxicological Information**

Information on likely routes of exposure:

**Inhalation** May cause irritation to the respiratory system.

Skin contactCauses skin irritation.Eye contactNo information available.IngestionHarmful if swallowed.

Information on toxicological effects:

Oral/Parenteral Toxicity
Acute, LD50 Rat, > 5000mg/kg

Dermal Toxicity
Acute, LD50 Rabbit, > 5000mg/kg

Inhalation Toxicity
Acute, LD50 Mouse, > 5000mg/kg

**Germ cell mutagenicity** No information available.

Carcinogenicity

OSHA No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

IARC

ACGIH

No information available.

NTP

No information available.

Reproductive toxicity

TOST - single exposure

TOST - repeated exposure

Aspiration hazard

No information available.

No information available.

No information available.

### **Section 12: Ecological Information**

Eco toxicity

Persistence and degradability

Bio accumulative potential

Mobility in soil

Results of PBT&vPvB assessment

Other adverse effects

No information available.

No information available.

No information available.

No information available.

## **Section 13: Disposal Considerations**

**Disposal instructions** Do not discharge into drains, water course or onto the ground. Do not allow

this material to drain into sewers/ water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/

container in accordance with local/regional/national/international

regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous water code**No information available.



Version: 5.0

Revision date: 01/01/2025 Product Name: NATURAL ETHYL ISOBUTYRATE

its container must be disposed of in a safe manner.

recycling or disposal. Since emptied containers may retain product residue,

follow label warnings even after container is emptied

## **Section 14: Transport Information**

	ADN	ADR	RID	DOT BULK	DOT NON-BULK	IATA	IMDG
UN Number	2385						
Shipping Name	ETHYL ISOBUTYRATE						
Hazard Class	3						
Packing group	II						
Environmental Hazards	No						

# **Section 15: Regulatory Information**

**US federal regulations**: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazards Substance List (40 CFR 302.4)	Not listed
OSHA Specifically Regulated Substance (29 CFR 1910.1001-1050)	Not listed
SARA 302 Extremely hazardous substances	Not listed
SARA 311/312 Hazard Chemical	Not listed
SARA 313 (TRI reporting)	Not regulated

### Other federal regulations

CAA Section 112 Hazardous Air Pollutant List

CAA Section 112 (r) Accidental Release Prevention (40 CFR 68.130)

Safe Drinking Water Act (SDWA)

Not regulated

## **US State regulations**

US. Massachusetts RTK-Substance List	Not listed
US. New Jersey Worker and Community Right-to-Know Act	Not regulated
US. Pennsylvania Worker and Community Right-to-Know Law	Not listed
US. Rhode Island RTK	Not regulated
US. California Proposition 65	Not listed

## **International Inventories**

Country or region	Inventory name	On inventory (yes/no)
Australia	AICS	Yes
Canada	DSL	Yes
Canada	NDSL	No
China	IECSC	Yes



Version: 5.0

Revision date: 01/01/2025 Product Name: NATURAL ETHYL ISOBUTYRATE

Europe	EINECS	Yes
Europe	ELINCS	No
Japan	ENCS	Yes
Korea	ECL	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	PICCS	Yes
US and Puerto Rico	TSCA	Yes

## **Section 16: Other Information**

#### **Revision Information**

Date of this version: Jan.1, 2025

#### **Declaration to Reader**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. O'Laughlin Corporation Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.